

Fysioterapi til mennesker med smerter


Fuld referenceliste

- (1) Roos E, Bliddal H, Mølgaard C et al. Vidensråd for Forebyggelse. Forebyggelse af skader og sygdomme i muskler og led. Vidensråd for Forebyggelse; 2013.
- (2) Ørtenblad L, Valentin G, Carstensen K, Wittrup I, Tjipsmark L, Væggesmose U, et al. Smerter - en MTV om muligheder for tidlig målrettet indsats til smertepatienter. Region Midtjylland, CFK, Folkesundhed og Kvalitetsudvikling, Aarhus 2014.
- (3) Harker J, Reid KJ, Bekkering GE, Kellen E, Bala MM, Riemsma R, et al. Epidemiology of chronic pain in Denmark and Sweden. *Pain Res Treat* 2012;2012:371248.
- (4) Jensen TS, Dahl JB, Arendt-Nielsen L. Smerter - baggrund, evidens, behandling. 3. udgave ed. København: FADL's Forlag; 2013.
- (5) Linton SJ. Att förstå patienter med smärta. 2. uppl. Studentlitteratur, Lund 2013.
- (6) Ridner SH. Psychological distress: concept analysis. *J Adv Nurs* 2004 Mar;45(5):536-545.
- (7) Linton SJ, Buer N. Working despite pain: factors associated with work attendance versus dysfunction. *Int J Behav Med* 1995;2(3):252-262.
- (8) Carragee EJ, Haldeman S, Hurwitz E. The pyrite standard: the Midas touch in the diagnosis of axial pain syndromes. *Spine J* 2007 Jan-Feb;7(1):27-31.
- (9) Apkarian A, Robinson J. Low Back Pain. *Pain. IASP, Clincl Update August* 2010;18(6):1-6.
- (10) Haldeman S. Is it time to discard the term "diagnosis" when examining a person with uncomplicated axial neck pain? *Spine J* 2011 Mar;11(3):177-179.
- (11) Ashraf A, Farahangiz S, Pakniat Jahromi B, Setayeshpour N, Naseri M. Correlation between Degree of Radiologic Signs of Osteoarthritis and Functional Status in Patients with Chronic Mechanical Low Back Pain. *Malays J Med Sci* 2014 Mar;21(2):28-33.
- (12) Haldeman S, Kopansky-Giles D, Hurwitz EL, Hoy D, Mark Erwin W, Dagenais S, et al. Advancements in the management of spine disorders. *Best Pract Res Clin Rheumatol* 2012 Apr;26(2):263-280.
- (13) Christensen J, Bilde L, Gustavsson A. Socio-economic consequences of pain-intensive diseases in Denmark. DSI publication december 2011.
- (14) Koch MB, Davidsen M, Juel K, Statens Institut for Folkesundhed. Social ulighed i sundhed, sygelighed og trivsel 2010 og udviklingen siden 1987: Statens Institut for Folkesundhed; 2012.
- (15) Carroll LJ, Hogg-Johnson S, van der Velde G, Haldeman S, Holm LW, Carragee EJ, et al. Course and prognostic factors for neck pain in the general population: results of the Bone and Joint Decade 2000-2010 Task Force on Neck Pain and Its Associated Disorders. *J Manipulative Physiol Ther* 2009 Feb;32(2 Suppl):S87-96.
- (16) Werner M, Leden I. Smärta och smärtbehandling. 2. uppl. ed.: Stockholm: Liber, 2010.
- (17) Haroutiunian S, Nikolajsen L, Finnerup NB, Jensen TS. The neuropathic component in persistent postsurgical pain: a systematic literature review. *Pain* 2013 Jan;154(1):95-102.
- (18) Kallestrup L, Rubak J, Jensen L. Forløbsprogram for lænderyg-smerter. Region Midtjylland 2012, opdateret maj 2013:1-67.
- (19) Chambers WA. Clinical Pain Management-Practice and Procedures. *Br J Anaesth* 2009;103(1):141.
- (20) McMahon S, Koltzenburg M, Tracey I, Turk DC. Wall & Melzack's Textbook of Pain: Expert Consult - Online: Saunders; Elsevier Health Sciences; 2013.
- (21) Lundberg D. Rehabilitering vid långvarig smärta : en systematisk litteraturoversikt: partiell uppdatering och fördjupning av SBU-rapport nr 177/1+2. Stockholm: Statens beredning för medicinsk utvärdering (SBU); 2010.
- (22) Nijs J, Malfliet A, Ickmans K, Baert I, Meeus M. Treatment of central sensitization in patients with 'unexplained' chronic pain: an update. *Expert Opin Pharmacother* 2014 Jun 15:1-13.
- (23) Nijs J, Meeus M, Cagnie B, Roussel NA, Dolphens M, Van Oosterwijck J, et al. A modern neuroscience approach to chronic spinal pain: combining pain neuroscience education with cognition-targeted motor control training. *Phys Ther* 2014 May; 94(5):730-738.
- (24) Ost LG. The efficacy of Acceptance and Commitment Therapy: An updated systematic review and meta-analysis. *Behav Res Ther* 2014 Oct;61:105-121.

- (25) Jamison. R. Nonspecific Treatment Effects in Pain Medicine. *Pain Clinical Updates* 2011;Vol. XIX(2):1-7.
- (26) Lillefjell M, Jakobsen K, Ernstsøn L. The impact of a sense of coherence in employees with chronic pain. *Work* 2014 Mar 4.
- (27) van Tulder M, Malmivaara A, Hayden J, Koes B. Statistical significance versus clinical importance: trials on exercise therapy for chronic low back pain as example. *Spine (Phila Pa 1976)* 2007 Jul 15;32(16):1785-1790.
- (28) Farrar JT. What is clinically meaningful: outcome measures in pain clinical trials. *Clin J Pain* 2000 Jun;16(2 Suppl):S106-12.
- (29) Dworkin RH, Turk DC, Wyrwich KW, Beaton D, Cleeland CS, Farrar JT, et al. Interpreting the clinical importance of treatment outcomes in chronic pain clinical trials: IMMPACT recommendations. *J Pain* 2008 Feb;9(2):105-121.
- (30) Dworkin RH, Turk DC, McDermott MP, Peirce-Sandner S, Burke LB, Cowan P, et al. Interpreting the clinical importance of group differences in chronic pain clinical trials: IMMPACT recommendations. *Pain* 2009 Dec;146(3):238-244.
- (31) Uthman OA, van der Windt DA, Jordan JL, Dziedzic KS, Healey EL, Peat GM, et al. Exercise for lower limb osteoarthritis: systematic review incorporating trial sequential analysis and network meta-analysis. *BMJ* 2013 Sep 20;347:f5555.
- (32) Juhl C, Christensen R, Roos EM, Zhang W, Lund H. Impact of exercise type and dose on pain and disability in knee osteoarthritis: a systematic review and meta-regression analysis of randomized controlled trials. *Arthritis Rheumatol* 2014 Mar;66(3):622-636.
- (33) Diercks R, Bron C, Dorrestijn O, Meskers C, Naber R, de Ruitter T, et al. Guideline for diagnosis and treatment of subacromial pain syndrome. *Acta Orthop* 2014 Jun;85(3):314-322.
- (34) Senbursa G, Baltacı G, Atay A. Comparison of conservative treatment with and without manual physical therapy for patients with shoulder impingement syndrome: a prospective, randomized clinical trial. *Knee Surg Sports Traumatol Arthrosc* 2007 Jul;15(7):915-921.
- (35) Senbursa G, Baltacı G, Atay OA. The effectiveness of manual therapy in supraspinatus tendinopathy. *Acta Orthop Traumatol Turc* 2011;45(3):162-167.
- (36) Varela E, Valero R, Kucukdeveci AA, Oral A, Ilieva E, Berteanu M, et al. Shoulder pain management. The role of physical and rehabilitation medicine physicians. The European perspective based on the best evidence. A paper by the UEMS-PRM Section Professional Practice Committee. *Eur J Phys Rehabil Med* 2013 Oct;49(5):743-751.
- (37) Hagen KB, Dagfinrud H, Moe RH, Osteras N, Kjekshus I, Grotle M, et al. Exercise therapy for bone and muscle health: an overview of systematic reviews. *BMC Med* 2012 Dec 19;10(1):167.
- (38) Bertozzi L, Gardenghi I, Turoni F, Villafane JH, Capra F, Guccione AA, et al. Effect of Therapeutic Exercise on Pain and Disability in the Management of Chronic Nonspecific Neck Pain: Systematic Review and Meta-Analysis of Randomized Trials. *Phys Ther* 2013 Apr 11.
- (39) Andersen CH, Andersen LL, Pedersen MT, Mortensen P, Karstad K, Mortensen OS, et al. Dose-response of strengthening exercise for treatment of severe neck pain in women. *J Strength Cond Res* 2013 Mar 8.
- (40) Takasaki H, May S. Mechanical Diagnosis and Therapy has similar effects on pain and disability as 'wait and see' and other approaches in people with neck pain: a systematic review. *J Physiother* 2014 Jun;60(2):78-84.
- (41) Schroeder J, Kaplan L, Fischer DJ, Skelly AC. The outcomes of manipulation or mobilization therapy compared with physical therapy or exercise for neck pain: a systematic review. *Evid Based Spine Care J* 2013 Apr;4(1):30-41.
- (42) Miller J, Gross A, D'Sylva J, Burnie SJ, Goldsmith CH, Graham N, et al. Manual therapy and exercise for neck pain: a systematic review. *Man Ther* 2010 Aug;15(4):334-354.
- (43) Hurwitz EL, Carragee EJ, van der Velde G, Carroll LJ, Nordin M, Guzman J, et al. Treatment of neck pain: noninvasive interventions: results of the Bone and Joint Decade 2000-2010 Task Force on Neck Pain and Its Associated Disorders. *Spine (Phila Pa 1976)* 2008 Feb 15;33(4 Suppl):S123-52.
- (44) Maiers M, Bronfort G, Evans R, Hartvigsen J, Svendsen K, Bracha Y, et al. Spinal manipulative therapy and exercise for seniors with chronic neck pain. *Spine J* 2013 Nov 10.
- (45) Michaleff ZA, Maher CG, Lin CW, Rebeck T, Jull G, Latimer J, et al. Comprehensive physiotherapy exercise programme or advice for chronic whiplash (PROMISE): a pragmatic randomised controlled trial. *Lancet* 2014 Apr 3.

- (46) Yu H, Cote P, Southerst D, Wong JJ, Varatharajan S, Shearer HM, et al. Does structured patient education improve the recovery and clinical outcomes of patients with neck pain? A systematic review from the Ontario Protocol for Traffic Injury Management (OPTiMa) Collaboration. *Spine J* 2014 Apr 4.
- (47) Southerst D, Nordin MC, Cote P, Shearer HM, Varatharajan S, Yu H, et al. Is exercise effective for the management of neck pain and associated disorders or whiplash-associated disorders? A systematic review by the Ontario Protocol for Traffic Injury Management (OPTiMa) Collaboration. *Spine J* 2014 Feb 15.
- (48) Ludvigsson ML, Peterson G, O'Leary S, Dederig A, Peolsson A. The Effect of Neck-specific Exercise with, or without a Behavioral Approach, on Pain, Disability and Self-efficacy in Chronic Whiplash-associated Disorders: A Randomized Clinical Trial. *Clin J Pain* 2014 Jun 10.
- (49) Sterling M. Physiotherapy management of whiplash-associated disorders (WAD). *J Physiother* 2014 Mar;60(1):5-12.
- (50) Rittig-Rasmussen B, Kongsted A, Carstensen T, Bendix T, Bach FW, Jensen TS. Treatment of whiplash-associated disorders. *Ugeskr Laeger* 2010 Jun 14;172(24):1818-1820.
- (51) Sutton DA, Cote P, Wong JJ, Varatharajan S, Randhawa KA, Yu H, et al. Is multimodal care effective for the management of patients with whiplash-associated disorders or neck pain and associated disorders? A systematic review by the Ontario Protocol for Traffic Injury Management (OPTiMa) Collaboration. *Spine J* 2014 Jul 8.
- (52) van Tulder M, Malmivaara A, Hayden J, Koes B. Statistical significance versus clinical importance: trials on exercise therapy for chronic low back pain as example. *Spine (Phila Pa 1976)* 2007 Jul 15;32(16):1785-1790.
- (53) Jensen RK, Leboeuf-Yde C, Wedderkopp N, Sorensen JS, Maniche C. Rest versus exercise as treatment for patients with low back pain and Modic changes. A randomized controlled clinical trial. *BMC Med* 2012 Feb 29;10:22-7015-10-22.
- (54) Rudwaleit M, Marker-Hermann E. Management of nonspecific low back pain. The new national guidelines 2011. *Z Rheumatol* 2012 Aug;71(6):485-97; quiz 498-9.
- (55) van Middelkoop M, Rubinstein SM, Kuijpers T, Verhagen AP, Ostelo R, Koes BW, et al. A systematic review on the effectiveness of physical and rehabilitation interventions for chronic non-specific low back pain. *Eur Spine J* 2011 Jan;20(1):19-39.
- (56) van Middelkoop M, Rubinstein SM, Verhagen AP, Ostelo RW, Koes BW, van Tulder MW. Exercise therapy for chronic non-specific low-back pain. *Best Pract Res Clin Rheumatol* 2010 Apr;24(2):193-204.
- (57) Hayden JA, van Tulder MW, Malmivaara AV, Koes BW. Meta-analysis: exercise therapy for nonspecific low back pain. *Ann Intern Med* 2005 May 3;142(9):765-775.
- (58) Vasseljen O, Woodhouse A, Bjorngaard JH, Leivseth L. Natural course of acute neck and low back pain in the general population: The HUNT study. *Pain* 2013 Apr 2.
- (59) Koes BW, van Tulder M, Lin CW, Macedo LG, McAuley J, Maher C. An updated overview of clinical guidelines for the management of non-specific low back pain in primary care. *Eur Spine J* 2010 Dec;19(12):2075-2094.
- (60) Bronfort G, Maiers MJ, Evans RL, Schulz CA, Bracha Y, Svendsen KH, et al. Supervised exercise, spinal manipulation, and home exercise for chronic low back pain: a randomized clinical trial. *Spine J* 2011 Jul;11(7):585-598.
- (61) Menke JM. Do manual therapies help low back pain? A comparative effectiveness meta-analysis. *Spine (Phila Pa 1976)* 2014 Apr 1;39(7):E463-72.
- (62) Savigny P, Watson P, Underwood M, Guideline Development Group. Early management of persistent non-specific low back pain: summary of NICE guidance. *BMJ* 2009 Jun 4;338:b1805.
- (63) van der Giessen RN, Speksnijder CM, Helden PJ. The effectiveness of graded activity in patients with non-specific low-back pain: a systematic review. *Disabil Rehabil* 2012;34(13):1070-1076.
- (64) Hartvigsen J, Natvig B, Ferreira M. Is it all about a pain in the back? *Best Pract Res Clin Rheumatol* 2013 Oct;27(5):613-623.
- (65) Hush JM, Stanton TR, Siddall P, Marcuzzi A, Attal N. Untangling nociceptive, neuropathic and neuroplastic mechanisms underlying the biological domain of back pain. *Pain Manag* 2013 May;3(3):223-236.
- (66) Pincus T, Greenwood L, McHarg E. Advising people with back pain to take time off work: a survey examining the role of private musculoskeletal practitioners in the UK. *Pain* 2011 Dec;152(12):2813-2818.

- (67) Bendtsen L, Evers S, Linde M, Mitsikostas DD, Sandrini G, Schoenen J, et al. EFNS guideline on the treatment of tension-type headache - report of an EFNS task force. *Eur J Neurol* 2010 Nov;17(11):1318-1325.
- (68) Varkey E, Cider A, Carlsson J, Linde M. Exercise as migraine prophylaxis: a randomized study using relaxation and topiramate as controls. *Cephalalgia* 2011 Oct;31(14):1428-1438.
- (69) Daenen L, Varkey E, Kellmann M, Nijs J. Exercise, not to Exercise or how to Exercise in Patients with Chronic Pain? Applying Science to Practice. *Clin J Pain* 2014 Mar 21.
- (70) Ahn AH. Why does increased exercise decrease migraine? *Curr Pain Headache Rep* 2013 Dec;17(12):379-013-0379-y.
- (71) Hindiyeh NA, Krusz JC, Cowan RP. Does exercise make migraines worse and tension type headaches better? *Curr Pain Headache Rep* 2013 Dec;17(12):380-013-0380-5.
- (72) Koseoglu E, Yetkin MF, Ugur F, Bilgen M. The role of exercise in migraine treatment short title: exercise in migraine. *J Sports Med Phys Fitness* 2014 Jun 12.
- (73) Chaibi A, Russell MB. Manual therapies for primary chronic headaches: a systematic review of randomized controlled trials. *J Headache Pain* 2014 Oct 2;15(1):67-2377-15-67.
- (74) Soderberg EI, Carlsson JY, Stener-Victorin E, Dahlof C. Subjective well-being in patients with chronic tension-type headache: effect of acupuncture, physical training, and relaxation training. *Clin J Pain* 2011 Jun;27(5):448-456.
- (75) Soderberg E, Carlsson J, Stener-Victorin E. Chronic tension-type headache treated with acupuncture, physical training and relaxation training. Between-group differences. *Cephalalgia* 2006 Nov;26(11):1320-1329.
- (76) Racicki S, Gerwin S, Diclaudio S, Reinmann S, Donaldson M. Conservative physical therapy management for the treatment of cervicogenic headache: a systematic review. *J Man Manip Ther* 2013 May;21(2):113-124.
- (77) Bryans R, Descarreaux M, Duranleau M, Marcoux H, Potter B, Ruegg R, et al. Evidence-based guidelines for the chiropractic treatment of adults with headache. *J Manipulative Physiol Ther* 2011 Jun;34(5):274-289.
- (78) Fernandez-de-Las-Penas C, Courtney CA. Clinical reasoning for manual therapy management of tension type and cervicogenic headache. *J Man Manip Ther* 2014 Feb;22(1):44-50.
- (79) Carville S, Padhi S, Reason T, Underwood M, Guideline Development Group. Diagnosis and management of headaches in young people and adults: summary of NICE guidance. *BMJ* 2012 Sep 19;345:e5765.
- (80) Vickers AJ, Linde K. Acupuncture for chronic pain. *JAMA* 2014 Mar 5;311(9):955-956.
- (81) France S, Bown J, Nowosilskyj M, Mott M, Rand S, Walters J. Evidence for the use of dry needling and physiotherapy in the management of cervicogenic or tension-type headache: A systematic review. *Cephalalgia* 2014 Mar 12.
- (82) Martin J, Torre F, Padierna A, Aguirre U, Gonzalez N, Matellanes B, et al. Impact of interdisciplinary treatment on physical and psychosocial parameters in patients with fibromyalgia: results of a randomised trial. *Int J Clin Pract* 2014 May;68(5):618-627.
- (83) Clauw DJ. Fibromyalgia: a clinical review. *JAMA* 2014 Apr 16;311(15):1547-1555.
- (84) Van Oosterwijck J, Meeus M, Paul L, De Schryver M, Pascal A, Lambrecht L, et al. Pain physiology education improves health status and endogenous pain inhibition in fibromyalgia: a double-blind randomized controlled trial. *Clin J Pain* 2013 Oct;29(10):873-882.
- (85) Winkelmann A, Hauser W, Friedel E, Moog-Egan M, Seeger D, Settan M, et al. Physiotherapy and physical therapies for fibromyalgia syndrome. Systematic review, meta-analysis and guideline. *Schmerz* 2012 Jun;26(3):276-286.
- (86) Dworkin RH, O'Connor AB, Kent J, Mackey SC, Raja SN, Stacey BR, et al. Interventional management of neuropathic pain: NeuPSIG recommendations. *Pain* 2013 Nov;154(11):2249-2261.
- (87) Johnson S, Hall J, Barnett S, Draper M, Derbyshire G, Haynes L, et al. Using graded motor imagery for complex regional pain syndrome in clinical practice: failure to improve pain. *Eur J Pain* 2012 Apr;16(4):550-561.
- (88) O'Connell NE, Wand BM, McAuley J, Marston L, Moseley GL. Interventions for treating pain and disability in adults with complex regional pain syndrome. *Cochrane Database Syst Rev* 2013 Apr 30;4:CD009416.

- 
- (89) Claydon LS. *Neuropathic pain: an evidence-based update. New Zealand Journal of Physiotherapy* 2009;37(2):68.
- (90) Akyuz G, Kenis O. *Physical therapy modalities and rehabilitation techniques in the management of neuropathic pain. Am J Phys Med Rehabil* 2014 Mar;93(3):253-259.
- (91) Harden RN, Oaklander AL, Burton AW, Perez RS, Richardson K, Swan M, et al. *Complex regional pain syndrome: practical diagnostic and treatment guidelines, 4th edition. Pain Med* 2013 Feb;14(2):180-229.
- (92) urk DC, Audette J, Levy RM, Mackey SC, Stanos S. *Assessment and treatment of psychosocial comorbidities in patients with neuropathic pain. Mayo Clin Proc* 2010 Mar;85(3 Suppl):S42-50.
- (93) Dobson JL, McMillan J, Li L. *Benefits of exercise intervention in reducing neuropathic pain. Front Cell Neurosci* 2014 Apr 4;8:102.
- (94) Breivik H, Eisenberg E, O'Brien T. *The individual and societal burden of chronic pain in Europe: the case for strategic prioritisation and action to improve knowledge and availability of appropriate care. BMC Public Health* 2013;13(1):1229.
- (95) Comans T, Raymer M, O'Leary S, Smith D, Scuffham P. *Cost-effectiveness of a physiotherapist-led service for orthopaedic outpatients. J Health Serv Res Policy* 2014 Oct;19(4):216-223.
- (96) Jensen IB, Busch H, Bodin L, Hagberg J, Nygren A, Bergstrom G. *Cost effectiveness of two rehabilitation programmes for neck and back pain patients: A seven year follow-up. Pain* 2009 Apr;142(3):202-208.
- (97) Phillips CJ, Phillips Nee Buck R, Main CJ, Watson PJ, Davies S, Farr A, et al. *The cost effectiveness of NHS physiotherapy support for occupational health (OH) services. BMC Musculoskelet Disord* 2012 Feb 23;13:29-2474-13-29.