

Smerter i bevægeapparatet – psyke eller soma? Fysioterapeuten nr. 2/2012

Af fysioterapeut Elisabeth Bandak og overlæge Stine Amris, Parker Institutet, Frederiksberg Hospital

Referencer

- (1) Kroenke K. Somatoform disorders and recent diagnostic controversies. *Psychiatr Clin North Am* 2007 Dec;30(4):593-619.
- (2) Kroenke K, Sharpe M, Sykes R. Revising the classification of somatoform disorders: key questions and preliminary recommendations. *Psychosomatics* 2007 Jul;48(4):277-85.
- (3) Lowe B, Mundt C, Herzog W, Brunner R, Backenstrass M, Kronmuller K, et al. Validity of current somatoform disorder diagnoses: perspectives for classification in DSM-V and ICD-11. *Psychopathology* 2008;41(1):4-9.
- (4) Crombez G, Beirens K, Van DS, Eccleston C, Fontaine J. The unbearable lightness of somatisation: a systematic review of the concept of somatisation in empirical studies of pain. *Pain* 2009 Sep;145(1-2):31-5.
- (5) Voigt K, Nagel A, Meyer B, Langs G, Braukhaus C, Lowe B. Towards positive diagnostic criteria: a systematic review of somatoform disorder diagnoses and suggestions for future classification. *J Psychosom Res* 2010 May;68(5):403-14.
- (6) Gracely RH, Petzke FW, Wolf JM, Clauw DJ. Functional magnetic resonance imaging evidence of augmented pain processing in fibromyalgia. *Arthritis and Rheumatism* 2002;46:1333-43.
- (7) Gracely RH, Grant MAB, Giesecke T. Evoked pain measures in fibromyalgia. *Best Prac Res Clin Rheumatol* 2003;17(4):593-609.
- (8) Amris K, Waehrens EE, Jespersen A, Bliddal H, Danneskiold-Samsoe B. Observation-based assessment of functional ability in patients with chronic widespread pain: A cross-sectional study. *Pain* 2011 Nov;152(11):2470-6.
- (9) Henriksen M, Lund H, Christensen R, Jespersen A, Dreyer L, Bennett RM, et al. Relationships between the fibromyalgia impact questionnaire, tender point count, and muscle strength in female patients with fibromyalgia: a cohort study. *Arthritis Rheum* 2009 Jun 15;61(6):732-9.
- (10) Freynhagen R, Baron R, Gockel U, Tolle TR. painDETECT: a new screening questionnaire to identify neuropathic components in patients with back pain. *Curr Med Res Opin* 2006 Oct;22(10):1911-20.
- (11) Gwilym SE, Oag HC, Tracey I, Carr AJ. Evidence that central sensitisation is present in patients with shoulder impingement syndrome and influences the outcome after surgery. *J Bone Joint Surg Br* 2011 Apr;93(4):498-502.
- (12) Jespersen A, Amris K, Bliddal H, Andersen S, Lavik B, Janssen H, et al. Is neuropathic pain underdiagnosed in musculoskeletal pain conditions? The Danish PainDETECTive study. *Curr Med Res Opin* 2010 Aug;26(8):2041-5.
- (13) Wyde V, Hewlett S, Learmonth ID, Dieppe P. Persistent pain after joint replacement: prevalence, sensory qualities, and postoperative determinants. *Pain* 2011 Mar;152(3):566-72.
- (14) Asbring P, Närvänen AL. Ideal versus reality: physicians perspectives on patients with chronic fatigue syndrome (CFS) and fibromyalgia. *Social Science and Medicine* 2003;57:711-20.
- (15) Waddell G. The back pain revolution. Edinburgh: Churchill Livingstone: 1998