

# Referencer

## Den gyldne middelvej indenfor neurologisk fysioterapi

Statusartikel i  
Fysioterapeuten  
#5, 2021

Af

JOAKIM M. HALVORSEN

Fysioterapeut,  
master i muskuloskeletal  
medicin og specialist i  
muskuloskeletal fysioterapi  
Forsterket rehabilitering Aker,  
Helseetaten, Oslo kommune



MARTIN M. HELLEVIK

Fysioterapeut,  
master i klinisk neurologisk  
fysioterapi  
Stiftelsen CatoSenteret,  
Norge



JENNIFER L. MOORE

Fysioterapeut, ph.d. og  
neurologisk specialist  
Rådgiver hos Regional  
Kompetansetjeneste for  
Rehabilitering, Sunnaas  
Sykehus, Oslo

Uddrag af denne artikel er oversat fra: Scheets PL, Hornby TG, Perry SB, Sparto P, Riley N, Romney W, Fell D, Kugler K, Nordahl T. Moving Forward. J Neurol Phys Ther. 2021 Jan;451:46-49. Link til originalartiklen: kortlink.dk/2ca74.

Wolters KluwerHealth, Inc. og deres samarbejdspartnere garanterer ikke for nøjagtigheden af oversættelsen fra den oprindelige engelske artikel og kan ikke holdes ansvarlig for eventuelle fejl, der måtte opstå.

- 1 Langhammer B, Stanghelle J, Stibrant Sunnerhagen K et al. **Bobath: et tolkningsdilemma for fysioterapeuter i neurologisk rehabilitering: en litteraturgjennomgang.** Fysioterapeuten. 2010;77(6).
- 2 Hæstad H, Gjelsvik B. **Hva er Bobath-miljøet og forskeren Langhammer uenige om?** Fysioterapeuten. 2009;(2).
- 3 Scheets PL, Hornby TG, Perry SB et al. **Moving Forward.** J Neurol Phys Ther. 2021 Jan;45(1):46-49.
- 4 Díaz-Arribas MJ, Martín-Casas P, Cano-de-la-Cuerda R et al. **Effectiveness of the Bobath concept in the treatment of stroke: a systematic review.** Disabil Rehabil. 2020;42(12):1636-49.
- 5 Kollen BJ, Lennon S, Lyons B et al. **The effectiveness of the Bobath concept in stroke rehabilitation: what is the evidence?** Stroke. 2009;40(4):e89-97.
- 6 Scrivener K, Dorsch S, McCluskey A et al. **Bobath therapy is inferior to task-specific training and not superior to other interventions in improving lower limb activities after stroke: a systematic review.** J Physiother. 2020;66(4):225-35.
- 7 Rice DB, McIntyre A, Mirkowski M et al. **Patient-Centered Goal Setting in a Hospital-Based Outpatient Stroke Rehabilitation Center.** PM R. 2017;9(9):856-865.
- 8 Haas B, Playford ED, Ahmad AQ et al. **Rehabilitation goals of people with spinal cord injuries can be classified against the International Classification of Functioning, Disability and Health Core Set for spinal cord injuries.** Spinal Cord. 2016;54:324-328.
- 9 Kleim JA, Jones TA. **Principles of experience-dependent neural plasticity: implications for rehabilitation after brain damage.** J Speech Lang Hear Res. 2008;51(1):225-39.
- 10 Holleran CL, Straube DD, Kinnaird CR et al. **Feasibility and potential efficacy of high-intensity stepping training in variable contexts in subacute and chronic stroke.** Neurorehabil Neural Repair. 2014;28(7):643-51.
- 11 Holleran CL, Rodriguez KS, Echauz A et al. **Potential contributions of training intensity on locomotor performance in individuals with chronic stroke.** J Neurol Phys Ther. 2015;39(2):95-102.
- 12 Hornby TG, Holleran CL, Hennessy PW et al. **Variable Intensive Early Walking Poststroke (VIEWS): A Randomized Controlled Trial.** Neurorehabil Neural Repair. 2016;30(5):440-50.
- 13 Hornby TG, Henderson CE, Plawecki A et al. **Contributions of Stepping Intensity and Variability to Mobility in Individuals Poststroke.** Stroke. 2019;50(9):2492-9.

## Referencer.

### Den gyldne middelvej indenfor neurologisk fysioterapi

- 14 Moore JL, Roth EJ, Killian C et al. **Locomotor training improves daily stepping activity and gait efficiency in individuals poststroke who have reached a “plateau” in recovery.** Stroke. 2010;41(1):129-35.
- 15 Moore JL, Nordvik JE, Erichsen A et al. **Implementation of High-Intensity Stepping Training During Inpatient Stroke Rehabilitation Improves Functional Outcomes.** Stroke. 2020;51(2):563-70.
- 16 Brazg G, Fahey M, Holleran CL et al. **Effects of Training Intensity on Locomotor Performance in Individuals With Chronic Spinal Cord Injury: A Randomized Crossover Study.** Neurorehabil Neural Repair. 2017;31(10-11):944-54.
- 17 Lotter JK, Henderson CE, Plawecki A et al. **Task-Specific Versus Impairment-Based Training on Locomotor Performance in Individuals With Chronic Spinal Cord Injury: A Randomized Crossover Study.** Neurorehabil Neural Repair. 2020;34(7):627-39.
- 18 Bastian AJ. **Understanding sensorimotor adaptation and learning for rehabilitation.** Curr Opin Neurol. 2008;21(6):628-33.
- 19 Reisman DS, Bastian AJ, Morton SM. **Neurophysiologic and rehabilitation insights from the split-belt and other locomotor adaptation paradigms.** Phys Ther. 2010;90(2):187-95.
- 20 Hornby TG, Campbell DD, Kahn JH et al. **Enhanced gait-related improvements after therapist- versus robotic-assisted locomotor training in subjects with chronic stroke: a randomized controlled study.** Stroke. 2008;39(6):1786-92.
- 21 Lewek MD, Cruz TH, Moore JL et al. **Allowing intralimb kinematic variability during locomotor training poststroke improves kinematic consistency: a subgroup analysis from a randomized clinical trial.** Phys Ther. 2009;89(8):829-39.
- 22 Dobkin B, Apple D, Barbeau H et al. **Weight-supported treadmill vs over-ground training for walking after acute incomplete SCI.** Neurology. 2006;66(4):484-93.
- 23 Yagura H, Hatakenaka M, Miyai I. **Does therapeutic facilitation add to locomotor outcome of body weight–supported treadmill training in nonambulatory patients with stroke?** A randomized controlled trial. Arch Phys Med Rehabil. 2006;87(4):529-35.
- 24 Duncan P, Sullivan K, Behrman A et al. **Locomotor Experience Applied Post-Stroke (LEAPS): What Does the Outcome of the LEAPS RCT Mean to the Physical Therapist?** American Physical Therapy Association Combined Sections Meeting; February 9-12; New Orleans 2011.
- 25 Saraf P, Rafferty MR, Moore JL et al. **Daily stepping in individuals with motor incomplete spinal cord injury.** Phys Ther. 2010;90(2):224-35.
- 26 Kamper DG, Fischer HC, Cruz EG et al. **Weakness is the primary contributor to finger impairment in chronic stroke.** Arch Phys Med Rehabil. 2006;87(9):1262-9.
- 27 Wagner JM, Lang CE, Sahrmann SA et al. **Relationships between sensorimotor impairments and reaching deficits in acute hemiparesis.** Neurorehabil Neural Repair. 2006;20(3):406-16.

## Referencer.

### Den gyldne middelvej indenfor neurologisk fysioterapi

- 28** Patterson SL, Forrester LW, Rodgers MM et al. **Determinants of walking function after stroke: differences by deficit severity.** Arch Phys Med Rehabil. 2007;88(1):115-9.
- 29** Gallicchio JE. **Pharmacologic management of spasticity following stroke.** Phys Ther. 2004;84(10):973-81.
- 30** Montané E, Vallano A, Laporte JR. **Oral antispastic drugs in nonprogressive neurologic diseases: a systematic review.** Neurology. 2004;63(8):1357-63.
- 31** Andringa A, van de Port I, van Wegen E et al. **Effectiveness of Botulinum Toxin Treatment for Upper Limb Spasticity Poststroke Over Different ICF Domains: A Systematic Review and Meta-Analysis.** Arch Phys Med Rehabil. 2019;100(9):1703-25.
- 32** Straube DD, Holleran CL, Kinnaird CR et al. **Effects of dynamic stepping training on nonlocomotor tasks in individuals poststroke.** Phys Ther. 2014;94(7):921-33.
- 33** Horn SD, DeJong G, Smout RJ et al. **Stroke rehabilitation patients, practice, and outcomes: is earlier and more aggressive therapy better?** Arch Phys Med Rehabil. 2005;86(12 Suppl 2):S101-s14.
- 34** Nasjonal faglig retningslinje for behandling og rehabilitering ved hjerneslag [Internet]. **Oslo: Helsedirektoratet.** 2017. Available from: [www.helsedirektoratet.no/retningslinjer/hjerneslag](http://www.helsedirektoratet.no/retningslinjer/hjerneslag)
- 35** Moore JL, Potter K, Blankshain K et al. **A Core Set of Outcome Measures for Adults With Neurologic Conditions Undergoing Rehabilitation: A CLINICAL PRACTICE GUIDELINE.** J Neurol Phys Ther. 2018;42(3):174-220.
- 36** Dølvik T. **Helse- og omsorgsdepartementet: Spørreundersøkelse om fysioterapi i kommunehelsetjenesten.** Agenda; 2009 23.02.2009.
- 37** Moore JL, Friis S, Graham ID et al. **Reported use of evidence in clinical practice: a survey of rehabilitation practices in Norway.** 2018(1472-6963 (Electronic)).
- 38** Zbogar D, Eng JJ, Miller WC et al. **Movement repetitions in physical and occupational therapy during spinal cord injury rehabilitation.** Spinal Cord. 2017;55(2):172-9.
- 39** Kimberley TJ, Samargia S, Moore LG et al. **Comparison of amounts and types of practice during rehabilitation for traumatic brain injury and stroke.** J Rehabil Res Dev. 2010;47(9):851-62.
- 40** Lang CE, Macdonald JR, Reisman DS et al. **Observation of amounts of movement practice provided during stroke rehabilitation.** Arch Phys Med Rehabil. 2009;90(10):1692-8.
- 41** Jette DU, Latham NK, Smout RJ et al. **Physical therapy interventions for patients with stroke in inpatient rehabilitation facilities.** Phys Ther. 2005;85(3):238-48.
- 42** Sackett DL, Rosenberg WM, Gray JA et al. **Evidence based medicine: what it is and what it isn't.** BMJ (Clinical research ed). 1996;312(7023):71-2.
- 43** Duncan PW, Sullivan KJ, Behrman AL et al. **Body-weight-supported treadmill rehabilitation after stroke.** N Engl J Med. 2011;364(21):2026-36.
- 44** Russell B. In: Freeman J, editor. "Face to Face"; BBC; 1959.